



SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

PRODUCT NAME: **KLEENLINE**

OTHER NAMES: CAUSTIC ALKALI LIQUIDS, N.O.S.
(CONTAINS POTASSIUM HYDROXIDE)

MANUFACTURES PRODUCT CODE:

RECOMMENDED USE: Beer line cleaner.

SUPPLIER NAME: LAB 6 PTY LTD
ACN 003 252 515

ADDRESS: UNIT 17B 1 ENDEAVOUR RD
CARINGBAH NSW 2229

TELEPHONE NUMBER: (02) 9525 6322

FACSIMILE NUMBER: (02) 9540 2616

EMERGENCY TELEPHONE NUMBER: (02) 9525 6322 (Monday - Friday, 8.00 am - 5.00 pm)

2. HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION HAZARDOUS SUBSTANCE. DANGEROUS GOOD.

CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF SAFE WORK AUSTRALIA
CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE.

RISK PHRASES R22 Harmful if swallowed.
R35 Causes severe burns.

SAFETY PHRASES S1/2 Keep locked up and out of reach of children.
S26 In case of contact with eyes, rinse immediately with plenty of water and contact a doctor or Poisons Information Centre.
S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label whenever possible.)

POISONS SCHEDULE S6 POISON

3. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENTS:	PROPORTION:	CAS NUMBER:
NON HAZARDOUS INGREDIENTS	> 60%	
POTASSIUM HYDROXIDE	30 - 60%	1310-58-3
ALKALINE SALTS	10 - <30%	

4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (Phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

SWALLOWED: If swallowed, do NOT induce vomiting.

EYE: If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.



SAFETY DATA SHEET

SKIN: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

INHALED: If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

MEDICAL ATTENTION AND SPECIAL TREATMENT

Treat symptomatically. Can cause corneal burns.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

Not combustible. If material is involved in a fire use: Water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

HAZARDS FROM COMBUSTION PRODUCTS

Not combustible. Decomposes on heating emitting toxic fumes.

SPECIAL PROTECTIVE PRECAUTIONS AND EQUIPMENT FOR FIRE FIGHTERS

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to products of decomposition.

HAZCHEM CODE: 2R

6. ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES

Clear area of all unprotected personnel. If contamination of sewers or waterways has occurred advise local emergency services.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP

SMALL SPILLS: Slippery when split. Avoid accidents, clean up immediately. Wipe up with rag or absorbent paper.

LARGE SPILLS: Slippery when split. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact and breathing in vapours. Work up wind or increase ventilation. Contain using sand or soil. Prevent run off into drains or waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Keep out of reach of children. Avoid skin and eye contact and breathing in vapour. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

CONDITIONS FOR SAFE STORAGE

This product is a Scheduled Poison (S6) and must be stored, maintained and used in accordance with the relevant regulations. Store in a cool, dry, well ventilated place out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Keep containers closed when not in use. Check regularly for leaks.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE STANDARDS:

No value assigned for this specific material by the National Occupational Health and Safety Commission (NOHSC).

Exposure Standards for constituents:

Potassium Hydroxide

Peak Limitation = 2 mg/m³



SAFETY DATA SHEET

As published by the National Occupational Health and Safety Commission (NOHSC).

Peak Limitation – a ceiling concentration which should not be exceeded over a measurement period which should be as short as possible but not exceeding 15 minutes.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

BIOLOGICAL LIMIT VALUES

None allocated.

ENGINEERING CONTROLS:

Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Avoid generating and inhaling mists. If inhalation risk exists use with local exhaust ventilation or while wearing suitable mist respirator. Keep containers closed when not in use.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

MANUFACTURE, PACKAGING AND TRANSPORT: Avoid all contact. Wear overalls, chemical goggles and impervious gloves (Nitrile, Neoprene or PVC). Use with adequate ventilation. If risk of inhalation exists, wear mist respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

FOR CONSUMER USE: Avoid contact with eyes and skin and breathing in vapour. Use with adequate ventilation. Wear rubber gloves and eye protection while handling the product. Wash hands after use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear liquid.
Odour:	
pH:	12.0 -14.0
Vapour Pressure:	Not Available
Vapour Density:	Not Available
Boiling Point / Range:	Not Available
Solubility in Water:	Soluble
Specific Gravity:	1.4
Flashpoint:	Not Applicable
Flammability Limits:	Not Applicable
Ignition Temperature:	Not Applicable

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under normal conditions of use.

CONDITIONS TO AVOID: Avoid contact with foodstuffs. Avoid exposure to heat, sources of ignition, and open flame.

INCOMPATIBLE MATERIALS: Incompatible with acids and oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon.

HAZARDOUS REACTIONS: Reacts with acids.



SAFETY DATA SHEET

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if this product is mishandled and overexposure occurs are:

ACUTE EFFECTS

SWALLOWED: Swallowing can result in nausea, vomiting, diarrhoea, abdominal pain and chemical burns to the gastrointestinal tract.

EYE: A severe eye irritant. Corrosive to eyes. Contact can cause corneal burns. Contamination of eyes can result in permanent injury.

SKIN: Contact with the skin can result in severe irritation. Corrosive to skin. May cause skin burns. Repeated or prolonged skin contact may lead to irritant contact dermatitis.

INHALED: Breathing in mists may produce respiratory irritation.

CHRONIC HEALTH EFFECTS

No information available for the product.

TOXICITY

No LD50 available for product.

Oral LD50 (rat): 273 mg/kg (Potassium Hydroxide)

SKIN: Severe irritant (human) (Potassium Hydroxide)

12. ECOLOGICAL INFORMATION

ECOTOXICITY: Avoid contaminating waterways.

PERSISTENCE AND DEGRADABILITY: No data available

MOBILITY: No data available

13. DISPOSAL CONSIDERATIONS

DISPOAL METHODS

Refer to Waste Management Authority. Dispose of material through a licensed waste contractor. Product must be contained and not disposed to sewerage systems, drains or waterways.

SPECIAL PRECATIONS FOR LANDFILL OR INCINERATION

Decontamination and destruction of containers should be considered.

14. TRANSPORT INFORMATION

Classified as a Dangerous Good by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail.

UN Number: 1719
UN Proper Shipping Name: CAUSTIC ALKALI LIQUIDS, N.O.S.
Class: 8 Corrosive
Subsidiary Risk:
Packaging Group: II
Hazchem Code: 2R
EPG: 37



SAFETY DATA SHEET

15. REGULATORY INFORMATION

HAZARD CLASSIFICATION HAZARDOUS SUBSTANCE. DANGEROUS GOOD.

CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF SAFE WORK AUSTRALIA
CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE.

RISK PHRASES R22 Harmful if swallowed.
 R35 Causes severe burns.

SAFETY PHRASES S1/2 Keep locked up and out of reach of children.
 S26 In case of contact with eyes, rinse immediately with plenty of water and contact a
 doctor or Poisons Information Centre.
 S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
 S45 In case of accident or if you feel unwell, seek medical advice immediately (show
 the label whenever possible.)

POISONS SCHEDULE S6 POISON

All ingredients are listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

This Material Safety Data Sheet summarises at the date of issue our best knowledge of the health and safety hazard information of the product in the workplace. Since Lab 6 Pty. Ltd. cannot anticipate or control the conditions under which this product may be used, each user must, prior to usage, review this Material Safety Data Sheet in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Lab 6 Pty. Ltd. will not be responsible for damages of any nature resulting from use of or reliance upon the information. No expressed or implied warranties are given other than those implied mandatorily by Commonwealth, State or Territory legislation.

DATE OF ISSUE: JULY 2012

REASONS FOR ISSUE: General update and revision

CONTACT POINT: BRETT MOUNTIER, TECHNICAL MANAGER, (02) 9525 6322